Toxicology, 59 (1989) 339—340
Elsevier Scientific Publishers Ireland Ltd.

TOXICOLOGY

VOLUME CONTENTS

Volume 59 (1989)

Oral mercuric chloride exposure in mice: effects of dose on intestinal absorption and relative organ distribution **(A toxicokinetic study on mercury)**
by J.B. Nielsen and O. Andersen (Odense, Denmark) ..... 1—10

Influence of goat colchicine specific antibodies on murine colchicine disposition **(The in vivo interaction of injected antibodies with colchicine is examined in detail)**
by N. Terrien, M. Urtizberea and J.M. Scherrmann (Paris, France) ..... 11—22

In vitro accumulation of thyroid hormones by cultured rat hepatocytes and the biliary excretion of iodothyronines in rats treated with a novel histamine H_2-receptor antagonist **(The compound increases hepato-cellular uptake and biliary excretion of T_4 but not T_3 and thus induces secondary changes in the thyroid)**
by A. Poole, R.B. Jones, D. Pritchard, L. Catto and T. Leonard (Herts, UK) ..... 23—36

Effects of acute and sub-chronic administration of iron nitrilotriacetate in the rat **(The iron complex causes a number of biochemical and morphological effects)**
by N.E. Preece, D.E. Hall, J.A. Howarth, L.J. King and D.V. Parke (Surrey, UK) ..... 37—58

Release of 2-thiobarbituric acid reactive products from glutamate or deoxyribonucleic acid by 1,2,4-benzenetriol or hydroquinone in the presence of copper ions **(Hydroxybenzenes seem to form reactive hydroxy radicals in the presence of copper ions)**
by G.S. Rao and K.P. Pandya (Lucknow, India) ..... 59—65

The excretion of chlorophenylmercapturic acid, chlorophenols and a guanine adduct in the urine of chlorobenzene-treated rats after phenobarbital pretreatment **(Oxidative and conjugative metabolism of chlorobenzene lead to various metabolites and a guanine adduct)**
by E. Krewet, G. Müller and K. Norpoth (Essen, FRG) ..... 67—79

Low level lead neurotoxicity in a pregnant guinea pigs model: neuroglial enzyme activities and brain trace metal concentrations **(Low levels of lead produce a dose-dependent decrease in glutamine synthetase and glycerol-3-phosphate dehydrogenase in the spinal cord of fetal guinea pigs)**
by E.M. Sierra, T.K. Rowles, J. Martin, G.R. Bratton, C. Womac and E. Tiffany-Castiglioni (College Station, TX) ..... 81—96

Renal and hepatic toxicity of a benzopyran-4-one in the cynomolgus monkey **(Renal and hepatic toxicity was due to presence of needle-like crystals in renal tubules, bile canaliculi and hepatocytes)**
by G.E. Macallum, G.S. Smith, N.J. Barsoum, R.M. Walker and P. Greaves (Ontario, Canada) 97—108

Contents of Journals relating to Toxicology 109

Review Paper

An overview of maternal toxicity and prenatal development: Considerations for developmental toxicity hazard assessments **(The relationships between maternal and developmental toxicity are critically discussed)**
by N. Chernoff, J.M. Rogers and R.J. Kavlock (Research Triangle Park, NC) ..... 111—125

Research Papers

ICRF 187 and polyhydroxyphenyl derivatives fail to protect against bleomycin induced lung injury **(Two of the chelating agents actually increase bleomycin/oxygen induced lung injury)**
by A.F. Tryka (Little Rock, AR) ..... 127—138

Tissue distribution of Pb in adult vs. old rats: a pilot study **(Brain and liver Pb are higher in old rats, while bone levels are lower than in young adult animals)**
by D.A. Cory-Slechta, B. Weiss and C. Cox (Rochester, NY) ..... 139—150

A comparison of the effects of tetraplatin and cisplatin on renal function and gentamicin pharmacology in rats **(The lower nephrotoxicity of tetraplatin may be explained by a difference in renal distribution)**
by M.S. Engineer, N.S. brown, D.-H.W. Ho, R.A. Newman and R.E. Bulger (Houston, TX) ..... 151—162

Alteration of the acute toxicity of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) by estradiol and tamoxifen **(TCDD toxicity may be partially mediated through activity of the estrogen receptor complex)**
by T.H. Umbreit, P.L. Scala, S.A. MacKenzie and M.A. Gallo (Piscataway, NJ) ..... 163—169

Lindane (γ-HCH) causes reproductive failure and fetotoxicity in mice **(Lindane causes steroid hormone deficiency resulting in reproductive and developmental failure)**
by S. Sircar and P. Lahiri (Calcutta, India) ..... 171—177

Production of reactive oxygen species due to metabolic activation of butylated hydroxyanisole **(Oxidative metabolism, autoxidation and redox cycling may constitute the mechanism of the prooxidant effect of BHA)**
by R. Kahl, S. Weinke and H. Kappus (Göttingen and Berlin, FRG) ..... 179—194

Investigations on organ-specific metabolism and genotoxic effects of the urinary bladder carcinogen *N*-nitrosobutyl-3-carboxypropylamine (BCPN) and its analogs *N*-nitrosodibutylamine (NDBA) and *N*-nitrosobutyl-4-hydroxybutylamine (4-OH-NDBA) **(The bladder carcinogen seems to be activated in loco)**
by C. Janzowski, D. Jacob, I. Henn, H. Zankl, B.L. Poole-Zobel and G. Eisenbrand (Kaiserslautern and Heidelberg, FRG) ..... 195—209

Cadmium-induced alterations of chlorpropham metabolism in isolated rat hepatocytes **(Cadmium influences the different metabolic conversions in a complex way)**
by J. Alary, G. Carrera, Y. Lamboeuf and C. Escrieut (Toulouse, France) ..... 211—223

Contents of journals relating to Toxicology ..... 225—227

Biological activity of 2,4,8-trichlorodibenzofuran: promotion of rat liver foci and induction of cytochrome *P*-450-dependent monooxygenases **(This dibenzofuran has an extremely weak tumor promoting and enzyme inducing capacity when compared to 2,3,7,8-TCDD)**
by E. Deml, F.J. Wiebel and D. Oesterle (Neuherberg, FRG)..... 229—238

Comparative testicular toxicity of bis(2-methoxyethyl)ether and 2-methoxyethanol in rats **(Testicular toxicity produced by 300 ppm of 2-methoxyethanol was more severe than that seen at 370 ppm of diglyme)**
by K.P. Lee, L.A. Kinney and R. Valentine (Newark, DE)..... 239—258

Biochemical effects of combined gases of nitrogen dioxide and ozone III. Synergistic effects on lipid peroxidation and antioxidative protective systems in the lungs of rats and guinea pigs **(Guinea pigs are more sensitive than rats)**
by T. Ichinose and M. Sagai (Ibaraki, Japan)..... 259—270

Induction and inhibition of rat liver cytochrome(s) *P*-450 by an imidazole fungicide (prochloraz) **(A complex induction pattern is observed at various time points after application)**
by L. Laignelet, J.-F. Narbonne, J.-C. Lhuguenot and J.-L. Riviere (Dijon, Talence and Marcy l'Etoile, France) ..... 271—284

6-Substituted-1,3,8-trichlorodibenzofurans as 2,3,7,8-tetrachlorodibenzo-*p*-dioxin antagonists in the rat: Structure activity relationships **(Correlations between in vitro competitive Ah receptor binding affinities and in vivo antagonist activities are presented)**
by B. Astroff and S. Safe (College Station, TX)..... 285—296

Thirteen-week toxicity studies of 3,3'-dimethoxybenzidene and C.I, Direct Blue 15 in the Fischer 344 rat **(Kidney and liver were identified as target organs)**
by D.L. Morgan, C.W. Jameson, J.H. Mennear, B.M. Ulland and J.K. Lemen (Research Triangle Park and Buies Creek, NC and Vienna, VA)..... 297—309

Comparative effects of pair-feeding and 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) on various biochemical parameters in female rats **(TCDD causes comparatively more lipid peroxidation, DNA damage and thymic involution, among others, than does weight loss alone)**
by Z.Z. Wahba, W.J. Murray, M.Q. Hassan and S.J. Stohs (Omaha, NE)..... 311—323

Editorial acknowledgment ..... 325—327

Contents of journals relating to Toxicology..... 329—331

Subject Index Volume 59..... 333—336

Author Index Volume 59..... 337—338

Volume Contents Volume 59..... 339—340